

Report No.: 2401A110297E Page 1 of 8 Date: January 06, 2025 Max Interactive Inc. (MAXCASES) 17752 Mitchell N., Suite D, Irvine CA 92614, United States Report on the submitted samples said to be: Sample Name: Explorer 5 Work-In Case Explorer 5 Work-In Case w/Pocket 11" w/ Shoulder Strap (Black) Sample Description: MCEB5P11BLK Style/Item No.: Country of Origin: China Country of Destination: **United States** Product End Use: **Explorer Work-In Case** Testing Purpose: Per-and Polyfluoroalkyl Substances (PFAS) screening Sample Receiving Date: December 13,2024 Lately Re-submit Date: December 23,2024 Testing Period: December 13,2024 - December 27,2024 Result: Please refer to next page(s). Signed for and on behalf of BACL Checked by: Approved by:

Bay Area Compliance Laboratories Corp. (Shenzhen)



| Report No.: 2401A110297E | Date: January 06, 2025 | Page 2 of 8 | | |
|--|------------------------|-------------------|--|--|
| ***************** | ************ | ******** | | |
| Summary of Test Result: | | | | |
| TEST REQUEST | | CONCLUSION | | |
| A. AB-1817 Product safety: textile articles: perfluoroa substances (PFAS) - Screening test for total organic f | , , , | Pass | | |
| *************************************** | **************** | ********* | | |



Report No.: 2401A110297E Date: January 06, 2025 Page 3 of 8

Result:

Tested part(s):

- (1) Black coating(dog hook/adjustable buckle/D-ring, semi-product)
- (2) Black fabric(woven tape of belt)
- (3) Black fabric(shoulder pad/pocket)
- (4) Black fabric(mesh of shoulder pad and lining binding)
- (5) Black fabric(binding of shoulder pad)
- (6) Grey foam(interlining of shoulder pad)
- (7) Black fabric(woven tape of handle)
- (8) Black fabric(shell)
- (9) Black fabric(shell binding)
- (10) Blue/white fabric(logo label)
- (11) Grey fabric(zipper block)
- (12) Grey fabric(woven tape of D-ring strap)
- (13) Black fabric(zipper tape)
- (14) Black fabric(rope of zipper puller)
- (15) Black plastic(zipper teeth)
- (16) Black plastic(zipper puller)
- (17) Black soft plastic/fabric shell)
- (18) Clear soft plastic(window)
- (19) Black synthetic leather(frame of window)
- (20) Black EVA(thick interlining of shell)
- (21) Black EVA(thin interlining of shell)
- (22) Light grey fabric(lining)
- (23) Grey fabric(lining)
- (24) Black fabric(woven tape of lining strap)
- (25) Black fabric/soft plastic(narrow elastic band)
- (26) Black fabric/soft plastic(wide elastic band)
- (27) Grey plastic(fixed fastener)
- (28) Light beige EVA(interlining of lining binding)
- (29) Light beige EVA(interlining of shell)
- (30) Black plastic(interlining of shell)
- (31) Pink paper(interlining of shell)

Bay Area Compliance Laboratories Corp. (Shenzhen)



Report No.: 2401A110297EDate: January 06, 2025

Page 4 of 8

(32) Light beige foam(interlining of shell)

(33) White foam(interlining of pocket)

(34) Black non-woven fabric(interlining of shoulder pad)



Report No.: 2401A110297E Date: January 06, 2025 Page 5 of 8

A. AB-1817 Product safety: textile articles: perfluoroalkyl and polyfluoroalkyl substances (PFAS) - Screening test for total organic fluorine content

Test method: FN 14582:2016

| Item | 11 | MDL | Result | | | | | | 1 |
|------------------------|-------|-------|--------|------|------|------|------|------|-------|
| | Unit | | (1) | (2) | (3) | (4) | (5) | (6) | Limit |
| Total organic fluorine | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 100 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | Pass | Pass | / |
| ltem | | MDL | Result | | | | | | |
| | Unit | | (7) | (8) | (9) | (10) | (11) | (12) | Limit |
| Total organic fluorine | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 100 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | Pass | Pass | / |
| ltem | | MDL | Result | | | | | | |
| | Unit | | (13) | (14) | (15) | (16) | (17) | (18) | Limit |
| Total organic fluorine | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 100 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | Pass | Pass | / |
| ltem | Unit | MDL | Result | | | | | | |
| | | | (19) | (20) | (21) | (22) | (23) | (24) | Limit |
| Total organic fluorine | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | 100 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | Pass | Pass | / |
| Item | Unit | MDL - | Result | | | | | | |
| | | | (25) | (26) | (2 | 27) | (28) | (29) | Limit |
| Total organic fluorine | mg/kg | 50 | N.D. | N.D. | N | .D. | N.D. | N.D. | 100 |
| Conclusion | / | / | Pass | Pass | P | ass | Pass | Pass | / |
| ltem | | MDL | Result | | | | | | |
| | Unit | | (30) | (31) | (3 | 32) | (33) | (34) | Limit |
| Total organic fluorine | mg/kg | 50 | N.D. | N.D. | N | .D. | N.D. | N.D. | 100 |
| Conclusion | / | / | Pass | Pass | | ass | Pass | Pass | / |



Report No.: 2401A110297E Date: January 06, 2025 Page 6 of 8

Remark:

The result showed organic fluorine content.Retesting on individual PFAS is recommended to verify the actual PFAS substances concertration in the tested samples.

Note:

- N.D.= Not Detected or less than MDL
- MDL = Method Detection Limit.



Report No.: 2401A110297E Date: January 06, 2025 Page 7 of 8

Photograph of Sample



BACL authenticate the photo on original report only



Report No.: 2401A110297E Date: January 06, 2025 Page 8 of 8

Statement:

- 1. This report cannot be reproduced except in full, without prior written approval of the Company.
- 2.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
- 3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
- 4.Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
- 5.The information which provided by the applicant, such as sample description, sample name, material component, style/item No., P.O. No., manufacturer, age phase, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report.
- 6.The test samples were in good condition before testing.

*** End of Report ***